

=> fil reg; d que lll

FILE 'REGISTRY' ENTERED AT 09:21:33 ON 30 MAY 2002

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2002 American Chemical Society (ACS)

STRUCTURE FILE UPDATES: 28 MAY 2002 HIGHEST RN 422506-41-0

DICTIONARY FILE UPDATES: 28 MAY 2002 HIGHEST RN 422506-41-0

TSCA INFORMATION NOW CURRENT THROUGH July 7, 2001

Please note that search-term pricing does apply when
conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Calculated physical property data is now available. See HELP PROPERTIES
for more information. See STNote 27, Searching Properties in the CAS
Registry File, for complete details:

<http://www.cas.org/ONLINE/STN/STNOTES/stnotes27.pdf>

L5 25 SEA FILE=REGISTRY ABB=ON AUAUCAUACCGACAUCAGUU|AACUGAUGUCGGUAUG
AUAU/SQSN

L6 16 SEA FILE=REGISTRY ABB=ON UUCGAGAAGAACCGAGACGUGGCGGGC|GCCCGCCAC
GUCUCGGUUCUUCUCGAA/SQSN

L8 509 SEA FILE=REGISTRY ABB=ON UCCACUGACGUAAGGGAUGACGCACAAU|AUUGUGCG
UCAUCCCUUACGUCAGUGGA/SQSN

L9 27 SEA FILE=REGISTRY ABB=ON UAGGUUAAUUAUUGGCGGUAAUUA|UAAUUACCGCCA
AUAUUAACCUA/SQSN

L11 15 SEA FILE=REGISTRY ABB=ON (L5 OR L6 OR L8 OR L9) AND SQL<101

=> d rn cn kwic nte lll 1-15; fil capl; s lll

L11 ANSWER 1 OF 15 REGISTRY COPYRIGHT 2002 ACS

RN 385167-93-1 REGISTRY

CN GenBank E13108 (9CI) (CA INDEX NAME)

SQL 98

SEQ 1 atctccactg acgtaaggga tgacgcacaa tcccactatc ctctgcaaga
=====

HITS AT: 4-31

L11 ANSWER 2 OF 15 REGISTRY COPYRIGHT 2002 ACS

RN 385167-92-0 REGISTRY

CN GenBank AR130348 (9CI) (CA INDEX NAME)

SQL 98

SEQ 1 atctccactg acgtaaggga tgacgcacaa tcccactatc ctctgcaaga
=====

HITS AT: 4-31

L11 ANSWER 3 OF 15 REGISTRY COPYRIGHT 2002 ACS

RN 382681-36-9 REGISTRY

CN 10: PN: W00196581 SEQID: 10 unclaimed DNA (9CI) (CA INDEX NAME)

SQL 67

SEQ 1 cggatatctc cactgacgta agggatgacg cacaatcaga tacataccaa
=====

HITS AT: 9-36

L11 ANSWER 4 OF 15 REGISTRY COPYRIGHT 2002 ACS

RN 354752-53-7 REGISTRY
CN GenBank AX207106 (9CI) (CA INDEX NAME)
SQL 20

SEQ 1 atatcatacc gacatcagtt
=====

HITS AT: 1-20
NTE doublestranded

L11 ANSWER 5 OF 15 REGISTRY COPYRIGHT 2002 ACS
RN 354752-21-9 REGISTRY
CN GenBank AX207071 (9CI) (CA INDEX NAME)
SQL 24

SEQ 1 taggttaatt attggcggta atta
=====

HITS AT: 1-24
NTE doublestranded

L11 ANSWER 6 OF 15 REGISTRY COPYRIGHT 2002 ACS
RN 354752-05-9 REGISTRY
CN GenBank AX207054 (9CI) (CA INDEX NAME)
SQL 28

SEQ 1 tccactgacg taagggatga cgcacaat
=====

HITS AT: 1-28
NTE doublestranded

L11 ANSWER 7 OF 15 REGISTRY COPYRIGHT 2002 ACS
RN 354752-00-4 REGISTRY
CN GenBank AX207049 (9CI) (CA INDEX NAME)
SQL 27

SEQ 1 ttcgagaaga accgagacgt ggcgggc
=====

HITS AT: 1-27
NTE doublestranded

L11 ANSWER 8 OF 15 REGISTRY COPYRIGHT 2002 ACS
RN 352039-04-4 REGISTRY
CN DNA, d(T-A-G-G-T-T-A-A-T-T-A-T-T-G-G-C-G-G-T-A-A-T-T-A) (9CI) (CA INDEX NAME)

OTHER NAMES:
CN 24: PN: W00153476 SEQID: 24 claimed DNA
SQL 24

SEQ 1 taggttaatt attggcggta atta
=====

HITS AT: 1-24

L11 ANSWER 9 OF 15 REGISTRY COPYRIGHT 2002 ACS
RN 352039-03-3 REGISTRY
CN DNA, d(T-C-C-A-C-T-G-A-C-G-T-A-A-G-G-G-A-T-G-A-C-G-C-A-C-A-A-T) (9CI) (CA INDEX NAME)

OTHER NAMES:
CN 7: PN: W00153476 SEQID: 7 claimed DNA
SQL 28

SEQ 1 tccactgacg taagggatga cgcacaat
=====

HITS AT: 1-28

L11 ANSWER 10 OF 15 REGISTRY COPYRIGHT 2002 ACS
RN 352039-02-2 REGISTRY
CN DNA, d(T-T-C-G-A-G-A-A-G-A-A-C-C-G-A-G-A-C-G-T-G-G-C-G-G-G-C) (9CI) (CA INDEX NAME)

OTHER NAMES:

CN 2: PN: W00153476 SEQID: 2 claimed DNA
SQL 27

SEQ 1 ttcgagaaga accgagacgt ggcgggc
=====

HITS AT: 1-27

L11 ANSWER 11 OF 15 REGISTRY COPYRIGHT 2002 ACS
RN 352039-00-0 REGISTRY
CN DNA, d(A-T-A-T-C-A-T-A-C-C-G-A-C-A-T-C-A-G-T-T) (9CI) (CA INDEX NAME)
OTHER NAMES:
CN 59: PN: W00153476 SEQID: 59 claimed DNA
SQL 20

SEQ 1 atatcatacc gacatcagtt
=====

HITS AT: 1-20

L11 ANSWER 12 OF 15 REGISTRY COPYRIGHT 2002 ACS
RN 290206-22-3 REGISTRY
CN GenBank AX026712 (9CI) (CA INDEX NAME)
SQL 50

SEQ 1 tccactgacg taagggatga cgcacaatcc cactatcctt cgcaagaccc
=====

HITS AT: 1-28

L11 ANSWER 13 OF 15 REGISTRY COPYRIGHT 2002 ACS
RN 280592-47-4 REGISTRY
CN 15: PN: W00039300 SEQID: 14 unclaimed DNA (9CI) (CA INDEX NAME)
SQL 50

SEQ 1 tccactgacg taagggatga cgcacaatcc cactatcctt cgcaagaccc
=====

HITS AT: 1-28

NTE singlestranded

L11 ANSWER 14 OF 15 REGISTRY COPYRIGHT 2002 ACS
RN 187250-12-0 REGISTRY
CN DNA, d(A-T-C-T-C-C-A-C-T-G-A-C-G-T-A-A-G-G-G-A-T-G-A-C-G-C-A-C-A-A-T-C-C-C-A-C-T-A-T-C-C-T-T-C-G-C-A-A-G-A-C-C-C-T-T-C-C-T-C-T-A-T-A-T-A-A-G-G-A-A-G-T-T-C-A-T-T-T-G-G-A-G-A-G-G-A-C-A-C-G-C-T-G), double-stranded complementary (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN Deoxyribonucleic acid, d(A-T-C-T-C-C-A-C-T-G-A-C-G-T-A-A-G-G-G-A-T-G-A-C-G-C-A-C-A-A-T-C-C-C-A-C-T-A-T-C-C-T-T-C-G-C-A-A-G-A-C-C-C-T-T-C-C-T-C-T-A-T-A-T-A-A-G-G-A-A-G-T-T-C-A-T-T-T-G-G-A-G-A-G-G-A-C-A-C-G-C-T-G), double-stranded complementary

CN DNA, d(C-A-G-C-G-T-G-T-C-C-T-C-C-A-A-A-T-G-A-A-A-T-G-A-A-C-T-T-C-C-T-T-A-T-A-T-A-G-A-G-A-A-G-G-T-C-T-T-G-C-G-A-A-G-G-A-T-A-G-T-G-G-G-A-T-T-G-T-G-C-G-T-C-A-T-C-C-C-T-T-A-C-G-T-C-A-G-T-G-G-A-G-A-T), double-stranded complementary (9CI)

OTHER NAMES:

CN 3: PN: US6187996 SEQID: 3 unclaimed DNA
CN DNA (synthetic clone pGbox10 35S promoter derivative)
SQL 98

SEQ 1 atctccactg acgtaaggga tgacgcacaa tccactatc cttcgcaaga

=====

HITS AT: 4-31

L11 ANSWER 15 OF 15 REGISTRY COPYRIGHT 2002 ACS
RN 148522-43-4 REGISTRY
CN DNA (cauliflower mosaic virus clone pYELJ0 35S promoter region-containing
91-nucleotide fragment) (9CI) (CA INDEX NAME)
OTHER CA INDEX NAMES:
CN Deoxyribonucleic acid (cauliflower mosaic virus clone pYELJ0 35S promoter
region-containing 91-nucleotide fragment)
SQL 91

SEQ 1 tatctccact gacgtaaggg atgacgcaca atcccactat ccttcgcaag
=====

HITS AT: 5-32
NTE doublestranded

FILE 'CAPLUS' ENTERED AT 09:21:54 ON 30 MAY 2002
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2002 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 30 May 2002 VOL 136 ISS 22
FILE LAST UPDATED: 28 May 2002 (20020528/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

CAS roles have been modified effective December 16, 2001. Please check your SDI profiles to see if they need to be revised. For information on CAS roles, enter HELP ROLES at an arrow prompt or use the CAS Roles thesaurus (/RL field) in this file.

L12 6 L11

=> d ibib ab hitrn 112 1-6

L12 ANSWER 1 OF 6 CAPLUS COPYRIGHT 2002 ACS
ACCESSION NUMBER: 2001:924019 CAPLUS
DOCUMENT NUMBER: 136:49308
TITLE: Use of plant and microbial inducer/repressor/operator system for time- and tissue-specific expression of heterologous genes in plants
INVENTOR(S): Shinmyo, Atsuhiko; Kato, Kou; Yamada, Yasuhiro; Nihira, Takuya; Shindo, Takuya
PATENT ASSIGNEE(S): Kaneka Corporation, Japan
SOURCE: PCT Int. Appl., 57 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent

Searched by Barb O'Bryen, STIC 308-4291

LANGUAGE: Japanese
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2001096581	A1	20011220	WO 2001-JP5096	20010615
W: AU, CA, CN, JP, RU, US				

PRIORITY APPLN. INFO.: JP 2000-180466 A 20000615

AB A method of inducing the expression of a heterologous gene (transgene) in plants under the regulation of an operator at an actinomycetes autoregulator site, by expressing a repressor and an operator constituting a gene expression inducing system in plants by gene transfer, and then providing the actinomycetes autoregulator, as inducer, is disclosed. Transformation of tobacco plants with *Streptomyces virginiae* autoregulator *virginiae* butanolide (VB) inducer system repressor BarA gene along with BarA-binding DNA sequences (BarA-responsive elements [BAREs]), and .beta.-glucuronidase (GUS) reporter gene under the regulation of cauliflower mosaic virus (CaMV) 35S promoter or *Nicotiana tabacum* alc. dehydrogenase (NtADH) promoter,.

IT 382681-36-9

RL: PRP (Properties)
(unclaimed nucleotide sequence; use of plant and microbial inducer/repressor/operator system for time- and tissue-specific expression of heterologous genes in plants)

REFERENCE COUNT: 9 THERE ARE 9 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L12 ANSWER 2 OF 6 CAPLUS COPYRIGHT 2002 ACS

ACCESSION NUMBER: 2001:545850 CAPLUS

DOCUMENT NUMBER: 135:133111

TITLE: Sequences of synthetic plant multimeric promoter

element regions (SMPERs) and their uses

INVENTOR(S): Bruce, Wesley B.; Niu, Xiping

PATENT ASSIGNEE(S): Pioneer Hi-Bred International, Inc., USA

SOURCE: PCT Int. Appl., 67 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2001053476	A2	20010726	WO 2001-US2024	20010119
WO 2001053476	A3	20020131		

W: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM

RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG

US 2001047092 A1 20011129 US 2001-766399 20010119

PRIORITY APPLN. INFO.: US 2000-177437P P 20000121

AB The present invention discloses compns. of novel nucleotide sequences of SMPERs, which are the specific combinations of promoter elements PCNA IIA, GT-2, ABRE1, As-1 and DRE1, and methods for regulating expression of heterologous nucleotide sequences via plant promoters comprising at least one SMPERs in a plant. Methods for expressing a heterologous nucleotide sequence in a plant using the promoter sequences are provided. The

methods comprise transforming a plant cell with a heterologous nucleotide sequence operably linked to the promoters contg. the SMPERs and regenerating a stably transformed plant from the transformed plant cell.

IT 352039-00-0P 352039-02-2P 352039-03-3P
352039-04-4P

RL: AGR (Agricultural use); BUU (Biological use, unclassified); PRP (Properties); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation); USES (Uses)
(nucleotide sequence; Sequences of synthetic plant multimeric promoter element regions (SMPERs) and their uses)

L12 ANSWER 3 OF 6 CAPLUS COPYRIGHT 2002 ACS

ACCESSION NUMBER: 2001:111555 CAPLUS

DOCUMENT NUMBER: 134:144711

TITLE: Insertion of a G-box element into promoter to increase the expression of target genes in transgenic plant

INVENTOR(S): Ishige, Fumiharu; Chua, Nam-hai; Oeda, Kenji

PATENT ASSIGNEE(S): Sumitomo Chemical Co., Ltd., Japan; The Rockefeller University

SOURCE: U.S., 15 pp.

CODEN: USXXAM

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 2

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 6187996	B1	20010213	US 1996-680116	19960715
JP 09131187	A2	19970520	JP 1996-145492	19960607
PRIORITY APPLN. INFO.:			JP 1995-178730	A 19950714
			JP 1995-227967	A 19950905
			JP 1996-145492	A 19960607

AB The present invention provides a process to construct recombinant promoters in plasmids pGbox10 and pGbox11 which increase the expression level of target genes in transgenic plant. The promoter comprises 4 tandem enhancer G-box elements, Gbox10 or Gbox11, in the upstream of promoter translation initiation site and a transcription terminator functional in plant cells. The plasmid pGbox10 and pGbox11 comprise the recombinant promoter, a structural gene and transcription terminator functional in plant cells. The transgenic plants expressing reporter gene under the control of recombinant promoter showed increased expression of structure gene in different tissues.

IT 187250-12-0

RL: PRP (Properties)

(unclaimed nucleotide sequence; insertion of a G-box element into promoter to increase the expression of target genes in transgenic plant)

REFERENCE COUNT: 22 THERE ARE 22 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L12 ANSWER 4 OF 6 CAPLUS COPYRIGHT 2002 ACS

ACCESSION NUMBER: 2000:457212 CAPLUS

DOCUMENT NUMBER: 133:85125

TITLE: A chemically inducible expression system for eukaryotes using the OHP system of Rhodococcus

INVENTOR(S): Turck, Jutta Anna; Archer, John Anthony Charles

PATENT ASSIGNEE(S): Advanced Technologies (Cambridge) Ltd., UK

SOURCE: PCT Int. Appl., 117 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

Searched by Barb O'Bryen, STIC 308-4291

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2000039300	A1	20000706	WO 1999-GB4333	19991221
W:	AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
RW:	GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG			
EP 1141307	A1	20011010	EP 1999-962383	19991221
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO			

PRIORITY APPLN. INFO.:

GB 1998-28660 A 19981224
WO 1999-GB4333 W 19991221

AB A chem. inducible gene expression system for eukaryotes, esp. plants, that uses elements of the o-hydroxyphenylpropionic acid (OHP) utilization operon of *Rhodococcus corallina* (*Nocardia corallina*) is described. The system uses a promoter regulated by the OHP-responsive transcriptional activator ohpR to activate expression through its cognate C1 element. The ohpR gene is expressed from a host promoter, which may be constitutive or regulated. Various domain regions and complementary response elements are also described.

IT 280592-47-4

RL: PRP (Properties)

(unclaimed nucleotide sequence; chem. inducible expression system for eukaryotes using the OHP system of *Rhodococcus*)

REFERENCE COUNT: 6 THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L12 ANSWER 5 OF 6 CAPLUS COPYRIGHT 2002 ACS

ACCESSION NUMBER: 1997:181126 CAPLUS

DOCUMENT NUMBER: 126:167483

TITLE: Derivatives of the cauliflower mosaic virus minimal 35S promoter for high level expression of foreign genes in plant cells

INVENTOR(S): Ishige, Fumiharu; Chua, Nam-Hai; Oeda, Kenji

PATENT ASSIGNEE(S): Sumitomo Chemical Company, Limited, Japan

SOURCE: Eur. Pat. Appl., 19 pp.

CODEN: EPXXDW

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 2

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 754757	A2	19970122	EP 1996-111265	19960712
EP 754757	A3	19991229		
R: DE, FR, GB, NL				
JP 09131187	A2	19970520	JP 1996-145492	19960607
CA 2181204	AA	19970115	CA 1996-2181204	19960715
PRIORITY APPLN. INFO.:			JP 1995-178730	A 19950714
			JP 1996-145492	A 19960607
			JP 1995-227967	A 19950905

AB Promoters derived from the minimal 35S promoter of Cauliflower mosaic virus that can be regulated and that can express genes under their control to high levels are described. These promoters use sequences derived from the -90 to +8 region of the 35S promoter in combination with other domains

of the 35S promoter or of other promoters and optionally using oligomers of the minimal 35S sequence. Use of the promoter to drive expression of a .beta.-glucuronidase reporter gene in tobacco is demonstrated.

IT 187250-12-0

RL: AGR (Agricultural use); BSU (Biological study, unclassified); PRP (Properties); BIOL (Biological study); USES (Uses)
(nucleotide sequence, in 35S promoter-based expression constructs; derivs. of cauliflower mosaic virus minimal 35S promoter for high level expression of foreign genes in plant cells)

L12 ANSWER 6 OF 6 CAPLUS COPYRIGHT 2002 ACS

ACCESSION NUMBER: 1993:442621 CAPLUS

DOCUMENT NUMBER: 119:42621

TITLE: The cauliflower mosaic virus 35S promoter is regulated by cAMP in *Saccharomyces cerevisiae*

AUTHOR(S): Rueth, J.; Hirt, H.; Schweyen, R. J.

CORPORATE SOURCE: Inst. Microbiol. Genet., Univ. Vienna, Vienna, A-1030, Austria

SOURCE: Mol. Gen. Genet. (1992), 235(2-3), 365-72

CODEN: MGGEAE; ISSN: 0026-8925

DOCUMENT TYPE: Journal

LANGUAGE: English

AB The cauliflower mosaic virus 35S promoter confers strong gene expression in plants, animals and fission yeast, but not in budding yeast. On investigating this paradox, the authors found that in budding yeast the promoter acts through two domains. Whereas the upstream domain acts as a silencer, the downstream domain couples expression to the nutritional state of the cells via the RAS/cAMP pathway. Point mutations indicate that two boxes with similarity to the cAMP regulated element (CRE) of mammalian cells mediate this response. Gel retardation assays show that, in both yeast and plant protein exts., factors bind to this promoter element. Therefore, transcriptional activation appears to be highly conserved at the level of transcription factors and specific DNA target elements in eukaryotes. This offers new ways to investigate gene regulation mechanisms of higher eukaryotes, which are not as amenable to genetic anal. as yeast.

IT 148522-43-4

RL: BIOL (Biological study)
(nucleotide sequence and cAMP-mediated regulation in *Saccharomyces cerevisiae* of)

=> fil reg; d que l10

FILE 'REGISTRY' ENTERED AT 09:22:15 ON 30 MAY 2002

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2002 American Chemical Society (ACS)

STRUCTURE FILE UPDATES: 28 MAY 2002 HIGHEST RN 422506-41-0

DICTIONARY FILE UPDATES: 28 MAY 2002 HIGHEST RN 422506-41-0

TSCA INFORMATION NOW CURRENT THROUGH July 7, 2001

Please note that search-term pricing does apply when
conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Calculated physical property data is now available. See HELP PROPERTIES
for more information. See STNote 27, Searching Properties in the CAS

Registry File, for complete details:

<http://www.cas.org/ONLINE/STN/STNOTES/stnotes27.pdf>

L5 25 SEA FILE=REGISTRY ABB=ON AUAUCAUACCGACAUCAGUU|AACUGAUGUCGGUAUG
AUAU/SQSN
L6 16 SEA FILE=REGISTRY ABB=ON UUCGAGAAGAACCGAGACGUGGCGGGC|GCCCCCCAC
GUCUCGGUUCUUCUCGAA/SQSN
L8 509 SEA FILE=REGISTRY ABB=ON UCCACUGACGUAAGGGAUGACGCACAAU|AUUGUGCG
UCAUCCCUACGUCAGUGGA/SQSN
L9 27 SEA FILE=REGISTRY ABB=ON UAGGUUAAUUAUUGGCGGUAAUUA|UAAUUACCGCCA
AUAUUAACCUA/SQSN
L10 6 SEA FILE=REGISTRY ABB=ON L5 AND L6 AND L8 AND L9

=> d rn cn sql kwic nte l10 1-6

L10 ANSWER 1 OF 6 REGISTRY COPYRIGHT 2002 ACS

RN 391022-67-6 REGISTRY

CN GenBank AX207114 (9CI) (CA INDEX NAME)

SQL 314

SEQ 1 tagcatatca taccgacatc agtttagcat atcataccga catcagttta
===== =====
51 gctccactga cgtaagggat gacgcacaat tagccgaggt gggcccgtag
===== =====
101 gtgggcccgt attagcttcg agaagaaccg agacgtggcg ggctagccga
===== =====
201 gcgggctagc atatcatacc gacatcagtt tagctagggt aattattggc
===== =====
251 ggtaattata gctaggttaa ttattggcgg taattatagc ttcgagaaga
===== =====

HITS AT: 5-24, 29-48, 53-80, 117-143, 211-230, 235-258, 263-286

L10 ANSWER 2 OF 6 REGISTRY COPYRIGHT 2002 ACS

RN 391022-66-5 REGISTRY

CN GenBank AX207113 (9CI) (CA INDEX NAME)

SQL 392

SEQ 1 gctaaactga tgtcggtatg atatgctagc ccgccacgtc tcggttcttc
===== =====
51 tcgaagctaa actgatgtcg gtatgatatg ctaattgtgc gtcacccctt
===== =====
101 acgtcagtg agctagcccg ccacgtctcg gttcttctcg aagctaaact

```
=====
151 gatgtcggtg tgatagtga taattaccgc caataattaa cctagctaatt
=====
201 tgtgcgctcat cctttacgtc agtggagcta aactgatgtc ggtagatatg
=====
301 cgggccacc tcggctaaac tgatgtcggt atgatatgct aattgtcggt
=====
351 catcccttac gtcagtggag ctaaactgat gtcggtatga ta
=====
```

HITS AT: 5-24, 29-55, 60-79, 84-111, 116-142, 147-166, 171-194,
199-226, 318-337, 342-369

L10 ANSWER 3 OF 6 REGISTRY COPYRIGHT 2002 ACS

RN 391022-65-4 REGISTRY

CN GenBank AX207112 (9CI) (CA INDEX NAME)

SQL 413

```
SEQ      1 taggttaatt tattgggcgg taattatagc ttcgagaaga accgagacgt
          =====
        51 ggccgggctag ctccgagaag aaccgagacg tggccgggcta gctagggttaa
          =====
       101 ttattggcgg gtaattatag ctccactgac gtaagggatg acgcacaatt
          =====
       151 agctagggtta attattggcg ataattatag ctaggttaatt tattggcggt
          =====
       201 aattatagca tatcataccg acatcagttt agctagggtta attattggcg
          =====
       251 gtaattatag catatcatac cgacatcagt ttagcatatc ataccgacat
          =====
       301 cagtttagct ccaactgacgt aagggatgac gcacaattag catatcatac
          =====
       351 cgacatcagt ttagcatatc ataccgacat cagtttagct tcgagaagaa
          =====
```

HITS AT: 31-57, 62-88, 122-149, 182-205, 210-229, 234-257,
262-281, 286-305, 310-337, 342-361, 366-385

L10 ANSWER 4 OF 6 REGISTRY COPYRIGHT 2002 ACS

RN 352038-94-9 REGISTRY

CN DNA (synthetic plant multimeric promoter element A23-containing fragment)
(9CI) (CA INDEX NAME)

OTHER NAMES:

CN 67: PN: W00153476 SEQID: 67 claimed DNA

SQL 314

```
SEQ      1 tagcatatca taccgacatc agtttagcat atcataccga catcagttta
          =====
        51 gctccactga cgtaagggat gacgcacaat tagccgaggt gggcccgtag
          =====
       101 gtggggccgt attagcttcg agaagaaccg agacgtggcg ggctagccga
          =====
       201 gcggggctagc atatcatacc gacatcagtt tagctagggt aattattggc
          =====
       251 ggtaattata gctagggttaa ttattggcgg taattatagc ttcgagaaga
          =====
```

HITS AT: 5-24, 29-48, 53-80, 117-143, 211-230, 235-258, 263-286

L10 ANSWER 5 OF 6 REGISTRY COPYRIGHT 2002 ACS

RN 352038-93-8 REGISTRY

CN DNA (synthetic plant multimeric promoter element A18-containing fragment)
(9CI) (CA INDEX NAME)

OTHER NAMES:

CN 66: PN: W00153476 SEQID: 66 claimed DNA

SQL 392

SEQ 1 gctaaactga tgcgggtatg atatgctagc ccgccacgtc tcggttcttc
=====
51 tcgaagctaa actgatgtcg gtatgatatg ctaattgtgc gtcattccctt
=====
101 acgtcagtg agctagcccg ccacgtctcg gttcttctcg aagctaaact
=====
151 gatgtcggtg tgatattgcta taattaccgc caataattaa cctagctaatt
=====
201 tgtgcgtcat cccttacgtc agtggagcta aactgatgtc ggtagatatg
=====
301 cgggccacc tcggctaaac tgatgtcggg atgatatgct aattgtgcgt
=====
351 catcccttac gtcagtggag ctaaactgat gtcggtatga ta
=====
HITS AT: 5-24, 29-55, 60-79, 84-111, 116-142, 147-166, 171-194,
199-226, 318-337, 342-369

L10 ANSWER 6 OF 6 REGISTRY COPYRIGHT 2002 ACS
RN 352038-92-7 REGISTRY
CN DNA (synthetic plant multimeric promoter element A15-containing fragment)
(9CI) (CA INDEX NAME)
OTHER NAMES:
CN 65: PN: WO0153476 SEQID: 65 claimed DNA
SQL 413

SEQ 1 taggttaatt tattgggcgg taattatagc ttcgagaaga accgagacgt
=====
51 ggccgggctag cttcgagaag aaccgagacg tggcgggcta gctaggttaa
=====
101 ttattggcgg gtaattatag ctccactgac gtaagggatg acgcacaatt
=====
151 agctagggtta attattggcg ataattatag ctagggttaatt tattggcggt
=====
201 aattatagca tatcataccg acatcagttt agctagggtta attattggcg
=====
251 gtaattatag catatcatatc cgacatcagt ttagcatatc ataccgacat
=====
301 cagtttagct ccaactgaggt aagggatgac gcacaattag catatcatatc
=====
351 cgacatcagt ttagcatatc ataccgacat cagtttagct tcgagaagaa
=====
HITS AT: 31-57, 62-88, 122-149, 182-205, 210-229, 234-257,
262-281, 286-305, 310-337, 342-361, 366-385

=> fil capl; s 110
FILE 'CAPLUS' ENTERED AT 09:22:53 ON 30 MAY 2002
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2002 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 30 May 2002 VOL 136 ISS 22
FILE LAST UPDATED: 28 May 2002 (20020528/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

CAS roles have been modified effective December 16, 2001. Please check your SDI profiles to see if they need to be revised. For information on CAS roles, enter HELP ROLES at an arrow prompt or use the CAS Roles thesaurus (/RL field) in this file.

L13 1 L10

=> d ibib ab hitrn l13; fil hom

L13 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2002 ACS

ACCESSION NUMBER: 2001:545850 CAPLUS
DOCUMENT NUMBER: 135:133111
TITLE: Sequences of synthetic plant multimeric promoter element regions (SMPERs) and their uses
INVENTOR(S): Bruce, Wesley B.; Niu, Xiping
PATENT ASSIGNEE(S): Pioneer Hi-Bred International, Inc., USA
SOURCE: PCT Int. Appl., 67 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2001053476	A2	20010726	WO 2001-US2024	20010119
WO 2001053476	A3	20020131		

W: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG

US 2001047092 A1 20011129 US 2001-766399 20010119

PRIORITY APPLN. INFO.: US 2000-177437P P 20000121

AB The present invention discloses compns. of novel nucleotide sequences of SMPERs, which are the specific combinations of promoter elements PCNA IIA, GT-2, ABRE1, As-1 and DRE1, and methods for regulating expression of heterologous nucleotide sequences via plant promoters comprising at least one SMPERs in a plant. Methods for expressing a heterologous nucleotide sequence in a plant using the promoter sequences are provided. The methods comprise transforming a plant cell with a heterologous nucleotide sequence operably linked to the promoters contg. the SMPERs and regenerating a stably transformed plant from the transformed plant cell.

IT 352038-92-7P 352038-93-8P 352038-94-9P

RL: AGR (Agricultural use); BUU (Biological use, unclassified); PRP (Properties); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation); USES (Uses)
(nucleotide sequence; Sequences of synthetic plant multimeric promoter element regions (SMPERs) and their uses)

FILE 'HOME' ENTERED AT 09:23:06 ON 30 MAY 2002



Nucleotide

PubMed	Nucleotide	Protein	Genome	Structure	PopSet	Taxonomy	OMIM	Book
Search	Nucleotide	for					Go	Clear
Limits		Preview/Index		History		Clipboard		Details
Display	default	Save	Text	Add to Clipboard				

☐ 1: AX207114. Sequence 67 from ...[gi:15394916]

Taxonomy

LOCUS AX207114 314 bp DNA linear PAT 30-AUG-2001
DEFINITION Sequence 67 from Patent WO0153476.
ACCESSION AX207114
VERSION AX207114.1 GI:15394916
KEYWORDS
SOURCE synthetic construct.
ORGANISM synthetic construct
artificial sequence.
REFERENCE 1 (bases 1 to 314)
AUTHORS Bruce, W.B. and Niu, X.
TITLE Novel plant promoters and methods of use
JOURNAL Patent: WO 0153476-A 67 26-JUL-2001;
PIONEER HI-BRED INTERNATIONAL, INC. (US)
FEATURES Location/Qualifiers
source 1..314
/organism="synthetic construct"
/db_xref="taxon:32630"
/note="synthetic"
BASE COUNT 82 a 65 c 93 g 74 t
ORIGIN
1 tagcatatca taccgacatc agtttagcat atcataccga catcagttta gctccactga
61 cgtaagggat gacgcacaat tagccgaggt gggcccgtag gtgggcccgt attagettcg
121 agaagaaccg agacgtggcg ggctagecga ggtgggcccg taggtgggcc cgtattagct
181 tcgagaagaa ctgagacgtg gggggctagc atatcatacc gacatcagtt tagctaggtt
241 aattattggc ggtaattata gctagggttaa ttattggcgg taattatagc ttcgagaaga
301 accgaggacg tggc
//

Revised: October 24, 2001.

Disclaimer | Write to the Help Desk
[NCBI](#) | [NLM](#) | [NIH](#)



PubMed	Nucleotide	Protein	Genome	Structure	PopSet	Taxonomy	OMIM	Book
Search	Nucleotide	for		Go	Clear			
Limits	Preview/Index	History	Clipboard	Details				
Display	default	Save	Text	Add to Clipboard				

☐ 1: AX207113. Sequence 66 from ...[gi:15394915]

Taxonomy

LOCUS AX207113 392 bp DNA linear PAT 30-AUG-2001
DEFINITION Sequence 66 from Patent WO0153476.
ACCESSION AX207113
VERSION AX207113.1 GI:15394915
KEYWORDS
SOURCE synthetic construct.
ORGANISM synthetic construct
artificial sequence.
REFERENCE 1 (bases 1 to 392)
AUTHORS Bruce, W.B. and Niu, X.
TITLE Novel plant promoters and methods of use
JOURNAL Patent: WO 0153476-A 66 26-JUL-2001;
PIONEER HI-BRED INTERNATIONAL, INC. (US)
FEATURES
source Location/Qualifiers
1..392
/organism="synthetic construct"
/db_xref="taxon:32630"
/note="synthetic"

BASE COUNT 91 a 101 c 92 g 108 t


ORIGIN

```
1 gctaaactga tgcggtatg atatgctagc ccgccacgtc tcggttcttc tcgaagctaa
61 actgatgtcg gtatgatatg ctaattgtgc gtcacccctt acgtcagtgg agctagcccg
121 ccacgtctcg gttcttctcg aagctaaact gatgtcggtg tgatatgcta taattaccgc
181 caataattaa cctagctaata tgtgcgtcat cccttacgtc agtggagcta aactgatgtc
241 ggtagatatg ctaataacggg cccacctacg ggcccacctc ggctaatacg ggcccaceta
301 cgggccacac tcggctaaac tgatgtcggt atgatatgct aattgtgcgt catcccttac
361 gtcagtggag ctaaactgat gtcggtatga ta
```

//

Revised: October 24, 2001.

Disclaimer | Write to the Help Desk
NCBI | NLM | NIH



Nucleotide

PubMed Nucleotide Protein Genome Structure PopSet Taxonomy OMIM Book
Search Nucleotide for Limits Preview/Index History Clipboard Details
Display default Save Text Add to Clipboard

Taxonomy

☐ 1: AX207112. Sequence 65 from ...[gi:15394913]

LOCUS AX207112 413 bp DNA linear PAT 30-AUG-2001

DEFINITION Sequence 65 from Patent WO0153476.

ACCESSION AX207112

VERSION AX207112.1 GI:15394913

KEYWORDS

SOURCE synthetic construct.

ORGANISM synthetic construct

REFERENCE 1 (bases 1 to 413)

AUTHORS Bruce, W.B. and Niu, X.

TITLE Novel plant promoters and methods of use

JOURNAL Patent: WO 0153476-A 65 26-JUL-2001;

PIONEER HI-BRED INTERNATIONAL, INC. (US)

FEATURES Location/Qualifiers

source
1..413
/organism="synthetic construct"
/db_xref="taxon:32630"
/note="synthetic"

BASE COUNT 124 a 75 c 100 g 114 t

ORIGIN
1 taggttaatt tattggcggt taattatagc ttcgagaaga accgagacgt ggcgggctag
61 ctccgagaag aaccgagacg tgccgggcta gctagggtta ttattggcgg gtaattatag
121 ctccactgac gtaagggatg acgcacaatt agctagggtta attattggcg ataattatag
181 ctaggttaat tattggcggt aattatagca tatcataccg acatcagttt agctagggtta
241 attattggcg gtaattatag catatcatac cgacatcagt ttagcatatc ataccgacat
301 cagtttagct ccactgacgt aagggatgac gcacaattag catatcatac cgacatcagt
361 ttagcatatc ataccgacat cagtttagct tcgagaagaa ccgagacgtg gcg

Revised: October 24, 2001.

Disclaimer | Write to the Help Desk
NCBI | NLM | NIH